

A First Program

CSE 1310 – Introduction to Computers and Programming
Vassilis Athitsos
University of Texas at Arlington

Credits: a significant part of this material has been created by Dr. Darin Brezeale
and Dr. Gian Luca Mariottini

Simplest Code: Numerical Calculations

- Start the Python shell. You see a welcoming message and the command prompt.

```
Python 2.7.3 (default, Apr 10 2012, 23:24:47) [MSC v.1500  
64 bit (AMD64)] on win32  
Type "copyright", "credits" or "license()" for more  
information.  
>>>
```

Terminology: we will call >>> “the command prompt”. This is Python’s way of telling you “I am waiting for your input”.

Simplest Code: Numerical Calculations

- Let's type in a single number, and press ENTER.

```
Python 2.7.3 (default, Apr 10 2012, 23:24:47) [MSC v.1500  
64 bit (AMD64)] on win32  
Type "copyright", "credits" or "license()" for more  
information.  
>>> 14
```

Simplest Code: Numerical Calculations

- After we press ENTER, the computer evaluates what we just typed, and prints the result.

```
Python 2.7.3 (default, Apr 10 2012, 23:24:47) [MSC v.1500  
64 bit (AMD64)] on win32
```

```
Type "copyright", "credits" or "license()" for more  
information.
```

```
>>> 14
```

```
14
```

```
>>>
```

Simplest Code: Numerical Calculations

- After we press ENTER, the computer evaluates what we just typed, and prints the result.

```
Python 2.7.3 (default, Apr 10 2012, 23:24:47) [MSC v.1500  
64 bit (AMD64)] on win32  
Type "copyright", "credits" or "license()" for more  
information.  
>>> 14  
14  
>>>
```

- This is not very exciting yet, the computer did not tell us anything we did not know.

Python as a Calculator.

```
>>> (23*3) + 12/4.5  
71.66666666666667
```

- We can type in arbitrary numerical expressions, and Python evaluates them.
- This is still not that exciting.
- However, such calculations are a useful building block for real programs.

Operators

- Here is a list of operators used in Python:

+	-	*	**	/	//	%
<<	>>	&		^	~	
<	>	<=	>=	==	!=	<>
+=	-=	*=	/=	//=	%=	
&=	=	^=	>>=	<<=	**=	

- Do not try to memorize them, but learn to look them up in the book as needed (chapter 1).
 - Try them out to verify you understand what they do,

Some Operators

```
>>> 2**10
```

```
1024
```

** is the “exponentiation” operator

```
>>> 13%4
```

```
1
```

% is the “remainder” operator

Order of Operators

- What does this do?

```
>>> 2**20/2
```

- Do we first do $2^{**}20$ and then divide by 2, or do we first do $20/2$ and then $2^{**}10$?

Order of Operators

- What does this do?

```
>>> 2**20/2
```

- Do we first do $2^{**}20$ and then divide by 2, or do we first do $20/2$ and then $2^{**}10$?
- The book defines the order of operators in chapter 1.
- Suggestion: USE THESE RULES MINIMALLY.

Order of Operators

- Instead of

```
>>> 2**20/2
```

You should type

```
>>> (2**20)/2
```

or

```
>>> 2** (20/2)
```

Circumference and Area of Circle

- Computing the circumference of a circle with radius = 20.231234:

– Circumference = radius * pi * 2

```
>>> 20.231234 * 3.14159 * 2  
127.11648484412
```

- Computing the area of the same circle:

– area = (radius ** 2) * pi

```
>>> (20.231234 ** 2) * 3.14159  
1285.8616750694227
```

Using Variables

```
>>> 20.231234 * 3.14159 * 2
>>> (20.231234 ** 2) * 3.14159
```

- Tedious to type in long numbers repeatedly.
- The above lines are hard to read.
- Instead, we can do:

```
>>> radius = 20.231234
>>> pi = 3.14159
>>> circumference = radius * pi * 2
>>> area = (radius ** 2) * pi
```

Using Variables

- When we type in these four lines, Python prints nothing back.

```
>>> radius = 20.231234
```

```
>>> pi = 3.14159
```

```
>>> circumference = radius * pi * 2
```

```
>>> area = (radius ** 2) * pi
```

- How can we see the actual results?

Using Variables

- When we type in these four lines, Python prints nothing back.

```
>>> radius = 20.231234
```

```
>>> pi = 3.14159
```

```
>>> circumference = radius * pi * 2
```

```
>>> area = (radius ** 2) * pi
```

- How can we see the actual results?

```
>>> circumference
```

```
127.11648484412
```

```
>>> area
```

```
1285.8616750694227
```

Doing Repeated Calculations

- What if we want to calculate the area and circumference of circles many times per day (or many times per hour)?
- We can just type in the formulas (as we did in the previous slides) again and again.
 - Any shortcomings of that approach?

The Need for a Program

- What if we want to calculate the area and circumference of circles many times per day (or many times per hour)?
- Typing in the formulas again and again is **tedious**, and **error prone**.
- Here is where we can use our first ***PROGRAM***.

Creating a Program

- Create a text file, called “circles.py”.
- Easy way, from Python shell:
 - File -> New Window
 - Creates a new text window
 - File -> Save
 - Allows you to save the file using a name of your choice.
 - **IMPORTANT: Make sure you understand what a folder is, and that you know where your file is saved.**
 - Talk to the class TA to learn how to do that.

Creating a Program

- Within the file, we put in this text:

```
# get the radius from the user as a string
radius_string = raw_input("Enter the radius of your circle: ")
```

```
# convert the radius string to an integer.
radius = int(radius_string)
```

```
# compute and print the circumference
pi = 3.14159
circumference = radius * 2 * pi
print "Circumference = ", circumference
```

```
# compute and print the area
area = (radius ** 2) * pi
print "area = ", area
```

Running the program

- From the text file window, choose Run -> Run Module (or simply press F5).

Running the program

- From the text file window, choose Run -> Run Module (or simply press F5).

Enter the radius of your circle:

Running the program

- From the text file window, choose Run -> Run Module (or simply press F5).

Enter the radius of your circle: 2

Running the program

- From the text file window, choose Run -> Run Module (or simply press F5).

```
Enter the radius of your circle: 2
Circumference = 12.56636
area = 12.56636
```

Understanding the Program

```
# get the radius from the user as a string  
radius_string = raw_input("Enter the radius of your circle: ")
```

```
# convert the radius string to an integer.  
radius = int(radius_string)
```

```
# compute and print the circumference  
pi = 3.14159  
circumference = radius * 2 * pi  
print "Circumference = ", circumference
```

```
# compute and print the area  
area = (radius ** 2) * pi  
print "area = ", area
```


Understanding the Program

```
# get the radius from the user as a string  
radius_string = raw_input("Enter the radius of your circle: ")
```

```
# convert the radius string to an integer.  
radius = int(radius_string)
```

```
# compute and print the circumference  
pi = 3.14159  
circumference = radius * 2 * pi  
print "Circumference = ", circumference
```

```
# compute and print the area  
area = (radius ** 2) * pi  
print "area = ", area
```

Comment lines:

Are notes to ourselves or other people, the computer ignores them.


Understanding the Program

```
# get the radius from the user as a string  
radius_string = raw_input("Enter the radius of your circle: ")
```

```
# convert the radius string to an integer.  
radius = int(radius_string)
```

```
# compute and print the circumference  
pi = 3.14159  
circumference = radius * 2 * pi  
print "Circumference = ", circumference
```

```
# compute and print the area  
area = (radius ** 2) * pi  
print "area = ", area
```



Getting user input:
raw_input is a PREDEFINED function in Python. Its job is to print out a message, receive input from the user, and store that input into a string.

Understanding the Program

```
# get the radius from the user as a string  
radius_string = raw_input("Enter the radius of your circle: ")
```

```
# convert the radius string to an integer.
```

```
radius = int(radius_string)
```



```
# compute and print the circumference
```

```
pi = 3.14159
```

```
circumference = radius * 2 * pi
```

```
print "Circumference = ", circumference
```

```
# compute and print the area
```

```
area = (radius ** 2) * pi
```

```
print "area = ", area
```

Type conversion:

radius_string is a string, meaning that it is a variable that stores text. Instead, we are interested in the contents of radius_string as a number. The int function is a PREDEFINED Python function, its job is to convert a string into a number.

Understanding the Program

```
# get the radius from the user as a string  
radius_string = raw_input("Enter the radius of your circle: ")
```

```
# convert the radius string to an integer.  
radius = int(radius_string)
```

```
# compute and print the circumference
```

```
pi = 3.14159
```

```
circumference = radius * 2 * pi
```

```
print "Circumference = ", circumference
```

```
# compute and print the area
```

```
area = (radius ** 2) * pi
```

```
print "area = ", area
```

Assignments:

These lines perform numerical calculations, and store the results of those calculations in variables.

Understanding the Program

```
# get the radius from the user as a string  
radius_string = raw_input("Enter the radius of your circle: ")
```

```
# convert the radius string to an integer.  
radius = int(radius_string)
```

```
# compute and print the circumference  
pi = 3.14159
```

```
circumference = radius * 2 * pi  
print "Circumference = ", circumference
```

```
# compute and print the area
```

```
area = (radius ** 2) * pi  
print "area = ", area
```

Printing results:

These lines print out results. print is a predefined Python function. It prints out strings that we text, as well as values of variables.

Note separation by comma,

Modifications

```
# get the radius from the user as a string  
radius_string = raw_input("Enter the radius of your circle: ")
```

```
# convert the radius string to an integer.  
radius = int(radius_string)
```

```
# compute and print the circumference  
pi = 3.14159  
circumference = radius * 2 * pi  
print "Circumference = ", circumference
```

```
# compute and print the area  
area = (radius ** 2) * pi  
print "area = ", area
```

How would you modify this program to print "The area of the circle is " instead of "area = "?

Modifications

```
# get the radius from the user as a string
radius_string = raw_input("Enter the radius of your circle: ")
```

```
# convert the radius string to an integer.
radius = int(radius_string)
```

```
# compute and print the circumference
pi = 3.14159
circumference = radius * 2 * pi
print "Circumference = ", circumference
```

```
# compute and print the area
area = (radius ** 2) * pi
print "The area of the circle is ", area
```

How would you modify this program to print "The area of the circle is " instead of "area = "?

Changing Variable Names

```
# get the radius from the user as a string  
radius_string = raw_input("Enter the radius of your circle: ")
```

```
# convert the radius string to an integer.  
radius = int(radius_string)
```

```
# compute and print the circumference  
pi = 3.14159  
circumference = radius * 2 * pi  
print "Circumference = ", circumference
```

```
# compute and print the area  
area = (radius ** 2) * pi  
print "area = ", area
```

What if I want to change
the name of variable
radius_string to
radius_text?

Changing Variable Names

```
# get the radius from the user as a string  
radius_text = raw_input("Enter the radius of your circle: ")
```

```
# convert the radius string to an integer.  
radius = int(radius_text)
```

```
# compute and print the circumference  
pi = 3.14159  
circumference = radius * 2 * pi  
print "Circumference = ", circumference
```

```
# compute and print the area  
area = (radius ** 2) * pi  
print "area = ", area
```

What if I want to change
the name of variable
radius_string to
radius_text?

I have to simply replace all
occurrences of
radius_string with
radius_text

The Importance of Syntax

```
# get the radius from the user as a string
radius_string = raw_input("Enter the radius of your circle: ")
```

```
# convert the radius string to an integer.
radius = int(radius_string)
```

```
# compute and print the circumference
pi = 3.14159
circumference = radius * 2 * pi
print "Circumference = ", circumference
```

```
# compute and print the area
area = (radius ** 2) * pi
print "area = ", area
```

Python (like all programming languages) is very picky about syntax.

A single misplaced character can make a program not work.

Note the syntax used in this program, and make sure you use the SAME syntax in your code.

Syntax in this Program

```
# get the radius from the user as a string  
radius_string = raw_input("Enter the radius of your circle: ")
```

```
# convert the radius string to an integer.  
radius = int(radius_string)
```

```
# compute and print the circumference  
pi = 3.14159  
circumference = radius * 2 * pi  
print "Circumference = ", circumference
```

```
# compute and print the area  
area = (radius ** 2) * pi  
print "area = ", area
```

in the beginning of
comment lines.

parentheses and quotes
when we use the raw_input
function

Quotes and commas when
we use the print function

The Importance of Style

- Original program:

```
# get the radius from the user as a string
radius_string = raw_input("Enter the radius of your circle: ")
```

```
# convert the radius string to an integer.
radius = int(radius_string)
```

```
# compute and print the circumference
pi = 3.14159
circumference = radius * 2 * pi
print "Circumference = ", circumference
```

```
# compute and print the area
area = (radius ** 2) * pi
print "area = ", area
```

The Importance of Style

- Alternative version of the same program:

```
a = raw_input("Enter the radius of your circle: ")
b = int(a)
c = 3.14159
d = b * 2 * c
print "Circumference = ", d
e = b ** 2 * c
print "area = ", d
```

- Both versions will run EXACTLY the same.
- What makes the previous version preferable?

The Importance of Style

- Alternative version of the same program:

```
a = raw_input("Enter the radius of your circle: ")
b = int(a)
c = 3.14159
d = b * 2 * c
print "Circumference = ", d
e = b ** 2 * c
print "area = ", d
```

- Both versions will run EXACTLY the same.
- What makes the previous version preferable?
- **Readability.** Makes code easier to verify and correct.

The Importance of Style

- Alternative version of the same program:

```
a = raw_input("Enter the radius of your circle: ")
b = int(a)
c = 3.14159
d = b * 2 * c
print "Circumference = ", d
e = b ** 2 * c
print "area = ", d
```

- Specific differences:
 - Lack of comments
 - Non-descriptive variable names
 - Lack of empty lines to separate “blocks” of code

Some Guidelines

- To learn how to code, you need PRACTICE.
 - What will usually not work:
 - Listen to the lectures.
 - Go and try to do the assignments.
 - What will usually work:
 - Listen to the lectures and KEEP NOTES.
 - Actually run every piece of code that we do in class.
 - Understand every line of every piece of code we do in class.
 - Think of variations of what we do in class, and try them.
 - Predict what the variation will do, and verify by running it.
 - Then try the assignments.

Some Guidelines

- You need to understand the terminology:
 - Statements, expressions, tokens, literals, functions, strings, variables, operators, ...
- You will encounter many terms in this course. YOU NEED TO LEARN EXACTLY WHAT THEY MEAN.
- **DO NOT RELY ON ENGLISH.** These terms have meanings in conversational English that are only vaguely related with their meaning in programming.

Terms We Have Seen So Far:

- Command prompt
- Text file
- Filename
- Folder
- Operator
- Variable
- Function
- Running a program